mechtrix®
NISHABD
...name defines living experience





NISHABD
FABRIC PANEL
ACOUSTICS | PANELING

www.mechtrixindia.com

mechtrix®
NISHABD
...name defines living experience

NISHABD FABRIC PANELS

NISHABD Fabric wrapped acoustic wall panel are ready made panels directly installed on the walls with various cliping systems.

NISHABD Acoustical Panel are available in different core materials. Depending on the application area, the panels are selected.



Characteristics of NISHABD Fabric Panels

- Variety of core material
- Wide range of fabrics
- Standard & customised sized of panels
- Good Sound Absorbtion (NRC)
- Ease of Installation.



APPLICATION

- Office Cabins
- Meeting & Conference Rooms
- Reception / Lobby Area
- Theaters
- Auditorium
- Studios /A V Rooms
- Commercial Areas



NISHABD WF PANEL

WOOD FIBRE

DIMENSIONS	
Thickness (mm)	20, 25, 40, 50.
Size (mm)	600 x 1200; 600 x 600; 600 x 1800; 600 x 2400
Density (kg/m³)	430
Weight (kg)	Thickness dependent

PROPERTIES	
Thermal (W/mk)	0.082
Climate (°C, RH)	45, 85
Light (%)	Based on colour
Green (VoC, RC%)	Low, 10
NRC	Upto 0.9*
Surface Finish	Fabric
Core Material	Wood Fiber

NISHABD GF PANEL

GLASS FIBRE

DIMENSIONS	
Thickness (mm)	25, 40
Size (mm)	600 x 600; 600 x 1200
Density (kg/m³)	96
Weight (kg)	Thickness dependent

PROPERTIES	
Thermal (W/mk)	0.035
Climate (°C, RH)	45, 95
Light (%)	Based on colour
Maintaince	Vaccum Cleaning
NRC	Upto 0.9*
Waranty	6 years
Surface Finish	Fabric
Core Material	Glass Fiber





AVAILABLE IN A RANGE OF COLOURS TO SUIT YOUR DESIGN.

* Based on the system#; #System means product applied with or without airgap and infill##; ##Infill: Nishabd Fill











Accessories



Z-Clamp

Dimensions 25 x 150 mm



Z-Bar

Dimensions 50 x 2000 mm



Z-Clip

Dimensions 25 x 50 mm



Impaling Clip

Dimensions 50 x 50 mm

mechtrix® NISHABD

...name defines living experience

www.mechtrixnishabd.com

MECHTRIX ENGINEERS LLP

Corporate office:

No.540 ,3rd Floor, TRP Chambers, opp to Nagarbhavi BDA complex, 3rd block, 2nd stage, Nagarbhavi, Bangalore- 560072, Karnataka

sales1@mechtrixindia.com

+91 8904004975

Karnataka
Tamilnadu
Telangana
Andhra Pradesh
Kerala
Goa
Maharashtra
Qatar
UAE

/Mechtrixnishabd.india

/Mechtrixnishabd.india

/Mechtrixnishabd.india

mechtrix®
NISHABD
...name defines living experience



FABRIC GUIDE

CURATED COLOURS FOR EVERY SPACE

ACOUSTICS | CEILINGS | WALLPANELING

Imagination Meets Engineering

www.mechtrixnishabd.com

MAKE IN INDIA

mechtrix®
NISHABD
...name defines living experience

CELEBRATE THE COLOURS



NF 198 CLOUDS



NF 225 BABY BLUE



NF 197 PEARL



NF 1031 OLIVE



NF 222 BLUSH



NF 200 SHIMMER



NF 224 PINK



NF 172 ELECTRIC



NF 220 PURPLE



NF 173 CHINA SEA



NF 326 TANGERINE



NF 142 CARAMEL

www.mechtrixnishabd.com

mechtrix®
NISHABD
...name defines living experience

CELEBRATE THE COLOURS



NF 112 SPEARMINT



NF 340 LAVENDER



NF 126 BRUMBLE



NF 136 GRANADA



NF 1028 STONE



NF 204 WINE



NF 202 MED GREY



NF 203 GUNGREY



NF 343 GREYSTO



NF 159 BURNT ORANGE



NF 167 CINNAMON



NF 118 WATERFALL

www.mechtrixnishabd.com

mechtrix®
NISHABD
...name defines living experience

CELEBRATE THE COLOURS



NF 158 SANGERIA



NF 5061 DRUST



NF 127 FOREST



NF 156 BROWN



NF 160 PLANET



NF 147 BLACK

TECHNICAL SPECIFICATIONS

COMPOSITION	:	100% POLYESTER
ABRASION	:	90,000 CYCLES (TESTED AT 12KPA PRESSURE)
FASTNESS TO RUBBING	:	DRY:4.5 & WET 4 (ISO-X12:2016)
MAINTENANCE	:	PROFESSIONAL CLEANING IS RECOMMENDED
FLAME RETARDENT	:	IT WILL MEET BS EN 1021-2:1994 (MATCH TEST) & IS: 15061-2002 WHEN TREATED WITH FR EXTREME PROCESS
FLAMMABILITY	:	BS EN 1021-1:1994 (CIGRETTE TEST): PASS BS 7176:1995 LOW HAZARD: PASS FLAMMABILITY PERFORMANCE IS DEPENDENT ON THE COMBINATION OF MATERIAL USED

mechtrix®
NISHABD
...name defines living experience

WEAVE THE JUTE



NFJ 211



NFJ 216



NFJ 218



NFJ 219



NFJ 213



NFJ 220

TECHNICAL SPECIFICATIONS

COMPOSITION	:	100% POLYESTER
ABRASION	:	50,000 CYCLES (TESTED AT 12KPA PRESSURE)
FASTNESS TO RUBBING	:	DRY:4,WET 4, (ISO-X12:2016)
MAINTENANCE	:	PROFESSIONAL CLEANING IS RECOMMENDED
FLAME RETARDENT	:	IS: 15061-2002 WHEN TREATED WITH FR EXTREME PROCESS
FLAMMABILITY	:	BS EN 1021-1:1994 (CIGRETTE TEST): PASS BS 7176:1995 LOW HAZARD: PASS FLAMMABILITY PERFORMANCE IS DEPENDENT ON THE COMBINATION OF MATERIAL USED

NISHABD

FABRIC PANELS

ACOUSTICS | PANELING





- High Performance
- Flexible & Easily Customisable
- Easy Installation & Maintenance
- Inhouse Design Team
- Made-to-order Acoustic Panels



NISHABD
WF PANEL

Thickness: 20mm - 25mm - 40mm - 50mm
Density: 430 kg/m3
Surface Finish: Fabric
Core Material: Wood Fiber



NISHABD
GF PANEL

Thickness: 25mm - 40mm - 50mm
Density: 96 kg/m3
Surface Finish: Fabric
Core Material: Glass Fiber



OUR CLIENTS

accenture, wipro, Danske IT, BOSCH, Microsoft, PATANJALI

REVA UNIVERSITY, Mahindra University, PES UNIVERSITY, NEWS Btv, ZOHO

The Future Kid's School

IIT MADRAS, Mercedes-Benz, VIT, Google, PVR CINEMAS

RAJ BHAVAN TELANGANA, University of Hyderabad, TDC, Karthik CINEMAS, iitm research park, IBM

CHIREC, asianet news network, CARNIVAL CINEMAS, DNC THEATRES

BRITANNIA, VIGNAN'S, PRESIDENCY UNIVERSITY

Canara Bank, King's College, QATAR AIRWAYS

Mechtrix Engineers LLP

No 540, 3rd floor, TRP Chambers, Beside Nagarbhavi BDA Complex 3rd Block,
2nd stage, Nagarbhavi,Bengaluru – 560072

support@mechtrixindia.com, Mob: +91 89040 04975

MECHTRIX
NISHABD

mechtrix® NISHABD
...name defines living experience

ACOUSTICS | CEILINGS | WALL PANELING



- High Performance
- Flexible & Easily Customisable
- Easy Installation & Maintenance
- Inhouse Design Team
- Made-to-order Acoustic Panels

WHY CHOOSE US?

- The Only Manufacturers
- Complete solution Providers
- Customised Shapes and Sizes
- FR Rated Products Available

MAKE IN INDIA

Karnataka
Tamilnadu
Telangana
Andhra Pradesh
Kerala
Goa
Maharashtra
Qatar
UAE

CONTACT US

Mechtrixnishabd.com
Mechtrixnishabd.india
sales1@mechtrixindia.com

Mechtrix Engineers LLP
No.540 ,TRP Chambers, opp to nagarbhavi BDA complex, 3rd block, 2nd stage, Bangalore- 560072
+91 8904004975 / 62 / 66